



# Wireless Earthquake Alarm Design based on MEMS Accelerometer

N. K. Wargantiwar<sup>1</sup>, A. S. Barbade<sup>2</sup>, A. P. Shingade<sup>3</sup>, A. N. Shire<sup>4</sup>

Student, Department Of Electronics & Telecommunication Engg., JDIET, Yavatmal, India <sup>1,2</sup>

Assistant Professor, Department Of Electronics & Telecommunication Engg., JDIET, Yavatmal, India<sup>3,4</sup>

**Abstract:** This paper mainly used to monitoring the Wireless Earthquake alarm design using MEMS accelerometer. Earthquake is a vibration transmitted in the earth crust .Most of the naturally occurring earthquake are caused by Earth plate movement. In 1997, The idea gave rise to numerous argument and researches. Perhaps it is because earthquake breaks out in the inner part of the earth. It is impossible to the directly obtain the observational data and together with other complex factor. The process of research is very slow .but it still attracted a lot of scientists and scholars to study. Conventional earthquake detection device And system utilize a vibrometer in a magnetic-electric sensor, or pick-up unit. These device and system may involve complicated circuitry and it may be expensive. some experts have put forwards a design method for the Earthquakes Warning system. The model could theoretically simulate and be used to predict the probability of strong earthquake that could occur anywhere at any time. In order to mitigate earthquake disaster caused by the structure of building, the strong motion observation is the most important means to scientific understanding of above problem. Earthquake alarm researched in this paper was based on the strong motion observation theory adopted MEMS accelerometer and wireless transmission technology, was more advanced and practical device.

**Keywords:** Earthquake, EEW, ADXL335, ATmega328p, XBeeS2.

## I. INTRODUCTION

Earthquake is one of the most damaging natural activities which offer serious threat to areas near major active faults on land. Earthquake happens due to the sudden release of large amount of energy from the earth crust Because of this energy earth create some destructive waves known as seismic wave. It has been found that the seismic waves include shear- wave, longitudinal wave and surface wave. The longitudinal wave and shear wave is also known as P-wave and S-wave respectively. Out of all waves surface wave is the most destructive in nature, the speed of the surface wave is slower than other waves. The P-wave's vibration direction and the forward motion are found to be same, which is the fastest in nature among the all waves. However, the destructive force of P-wave is found to be low.S-wave's vibration is perpendicular to the forward direction, whose speed is lower than P-wave but the destructive force is high .Due to urbanization, earthquake offer serious threat to human lives. According to Geller R.J.The prediction of earthquake are impossible. In many research paper work are still going on the predictions of earthquake. Early Earthquakes Warning systems is one of its useful development to save human lives. EEW detects the P-waves and generates warning as the most destructive S-wave follow the P-wave. It has been reported that some countries have already implemented EEW to rectifying earthquake hazard. In many countries don't have EEW. The cost of implementations is high. For these countries there must be some amount of low cost earthquakes alarm system to save human lives. This paper show the designs

of low cost earthquakes alarm system which can be used by the people in their home to save their lives at the time of earthquakes. The acceleration of the seismics wave is greater than the predefined value. The system blows the alarm. This systems can be used in the multistoried buildings as the alarm was connected wireless.

## II. LITERATURE REVIEW

According to survey we know that seismic data acquisition was very important factor in detection of the earthquakes before arrival of it. In previous days Seismometers are used at seismological stations for data acquisition. In 2003 Chungetal was developed by MEMS-type accelerometer which can be monitors of large scales structures. In addition to that of the same authors used MEMS Accelerometer for the real time seismics monitoring of the bridges [8]. This system was been installed at the pedestrian bridge in the Peltason Street on the University of California, Irvine campus. Again for seismic data acquisition C.P. Singh uses MEMS Digital Geophone. This geophone was based on the MEMS Accelerometer and onboard sigma delta modulator which was very useful for the exploration in the oil fields [7]. Further Takao Aizawaetal. [9] performed some field experiment using MEMS Accelerometer for seismic survey. In this survey the authors use of conventional geophone. It was been reported that the property of MEMS Accelerometers which were used in the



experiment were similar and they are found to be more sensitive than conventional geophone for the seismic surveys. Adam Pascale in 2009 explained some advantages of MEMS Accelerometer for the earthquakes monitoring [10]. Recently, the Quake-Catcher Network (QCN) is used to minimize the gap between the traditional seismic stations. MEMS Accelerometer sensors were used in Quake-Catcher Network (QCN) to detect vibration of local seismic waves (0.1-25 Hz). In addition to that, distributed computing plays a vital role in the QCN [11].

The use of QCN for recording earthquake also explains the behavior of P- and S-wave [12]. Huayin Zeng et al. [13] recently designed the wireless earthquake alarm systems using MEMS Accelerometer. The MEMS Accelerometer used in the system detects the longitudinal wave which travels faster than the other waves. If the acceleration was higher than the threshold value, then the systems alert the people by playing the alarm to leave the building as soon as possible, since the destructive shear wave is followed by the longitudinal wave. MMA7260Q MEMS Accelerometer of the Freescale was used in this design. This is a 3-axis accelerometer with very low power consumption. Besides, CC1100 and C8051F330 were used for the wireless transmissions and signal processing respectively. According to the authors, this system will play a very important role in the near future since its cost will be low. Tu et al. also did some field experiments using MEMS Accelerometers with the Single frequency GPS for the monitoring of ground motion generated due to the earthquake, landslides and volcanic activity in 2013 [14].

Conventional Seismometers use a chart or drum recorder to record seismic signals. These signals were recorded permanently. In oil exploration, the area for the explorations was large and the number of channels, sampling rates used for the data acquisitions is less. This decreases the efficiency of oil exploration. The multi-channel seismic data acquisition system was developed to improve the efficiency of oil exploration by means of increasing the number of channels. This system is based on a wireless sensor network. In older systems, cables were used to carry seismic signals from geophones to recorders. In these seismic systems, the number of cables and plugs used there is large, which causes many problems. The accelerometers available include both the dual axis as well as 3-axis accelerometers sensors. The dual axis accelerometer is capable of measuring dynamic and static accelerations. The 3-axis accelerometer sensor senses vibrations, shocks and gravity. This accelerometer measures accelerations along x, y, and z axes. This selection of MEMS accelerometer sensor which is to be used depends upon the requirements of the system and the parameter which is to be measured. In 2008, Agoston Katalin developed a microcontroller-based system for vibration analysis. The system was based on Lab Windows/CVI which gives data

representation and analysis. Micro Electro Mechanical System (MEMS) accelerometer acquires both low and high-frequency data as their frequency response was linear. MEMS accelerometer is a low cost and small size. 3-Axis acceleration sensor that gives acceleration values of X, Y, and Z axis. An inexpensive seismic network that was Quake-Catcher Network (QCN) was constructed by using distributed computing techniques and MEMS accelerometers. The QCN combines MEMS technology with computing and allows volunteers to collect seismic data and compute results. The QCN gives better earthquake recognition and helps in the study of earthquakes. In recent years, the use of GPS technology has increased and is helpful in the examination of accelerations and motions. In 2013, a new system was proposed which gives measurements from a GPS as well as a MEMS accelerometer.

In recent years, the use of embedded computers along with software platforms in seismology has been increasing. This feature helps the processor to read large amounts of data from the ADC. This reduces the processor workload up to 25%. The earthquake alarm system using ATmega328p, ADXL335 and XBee S2 is a low cost system which can be used at home as a consumer product to save lives. This system also consumes less power and can be used in sleep mode too. The data collected by MEMS sensors is stored in memory and via a wireless module transmitted to a computer. This system offers the advantage of reduced size and power consumption. To analyze the proper working of machines, engines, in earthquake detection, or in many scientific researches, vibration measurement and its visual presentation is of important concern. A system based on an accelerometer.

### III. STRUCTURE OF THE SYSTEM

The structure of the wireless Earthquake Alarm System includes one transmitting part and one or more than one receiving parts.

A Transmitting part




fig.3.1. Transmitting part of wireless earthquake alarm system



B. Receiving part




Fig. 3.2 Receiving Part of wireless earthquake alarm system

IV. WORKING

The transmitting part include the ADXL335 MEMS accelerometers made by the Analog Devices. Which can detect the vibration (Peak Ground Acceleration) produces due to earthquakes. This parts also to be includes a microcontrollers (ATmega328p) to process the value getting from ADXL335 and generate a signals when the ground acceleration was greater than the threshold values. The signal generated by the microcontroller was send by the receiving parts wirelessly using XBee S2. Figure 3.1 and 3.2 shows the block diagram of the transmitting parts and receivings parts.

A ADXL335

As per reported earlier ADXL335 it was a MEMS accelerometer made by the Analog Device. MEMS Accelerometer is devices which can detects gravity, vibrations or shocks . It has been found that MEMS Accelerometeris various applications such as for gamings applications in mobile phones, image rotation or stabilization in digital camera, automotive air bags .

B. ADXL335

It is thin, low powers, 3-axis accelerometer with a minimum full scale range of±3g. Figure 4.2.1 shows the functional block diagram of ADXL335.




Figure 4.2.1 : Internal Block Diagram

ADXL335 connected to ADC pins of ATmega328p. It sends voltage levels to the microcontroller. As the datasheet says, ADXL335 is a small, thin, low power, complete 3-axis accelerometer with signal conditioned voltage outputs. The products measures acceleration with the minimum full-scale range of ±3 g. It can be measure static accelerations of the gravity in tilt-sensing application as well as dynamic accelerations resulting from motions, shock, or vibrations. ADXL335 is 3v compatibles devices; it is powered by 3.3v sources and also generates 3.3v peak output. It has three output for each axis X, Y & Z. These are analog output and thus require an ADC in a micro-controllers. Arduino solves this problems. We are using the analog functions of Arduino. The ADXL335 is the small, thin, low power or complete 3-axis accelerometers with signals conditioning voltage outputs. The products measures accelerations with the minimum full-scale range of ±3 g. It can be measure the static accelerations of gravity in tilt-sensing applications, as well as dynamic accelerations resulting from motions, shocks or vibrations. The user select the band widths of the accelerometerx using the CX, CY and CZ capacitors at the XOUT, YOUT and ZOUT pins. Band widths can be selected to the suit of the applications, with a range of 0.6Hz to 1600 Hz for the X and Y axes, and a range of 0.6 Hz to 550 Hz for the Z axis. The ADXL335 is available in a small & low profile, 4 mm ×4 mm × 1.45 mm, 16-lead and plastic lead frame chip scale package.

C. ATmega328p

ATmega328p is a high performances, low power AVR 8-bit Microcontroller. It is 23 programmable pins and operating voltage is low (1.8- 5.5v).The main function of this module was processing the acceleration signals and comparings with the predetermined threshold values. ATmega328p has 10- bit successive approximations ADC. The ADC is connected to an 8-channel Analog Multiplexer which allows the eight single-ended voltage inputs constructed K8 from pins of the Port A. The single-ended voltage input refer to 0V. In these systems, 3 pins of Port C are connected to the ADXL335 and the USART (Universal Synchronous and Asynchronous serial Receiver and Transmitter) is connected to XBee S2 and send the signal to the receivers. The microcontrollers calibrates the values (voltage levels) getting from ADXL335 and calculates the peak ground accelerations. As per reported earlier that if calculated value is greater than the threshold value then it can be generates alarms and sends a signal to the receivers.




Fig. 4.3.1 ATMEGA328



The Atmega328 is very popular microcontrollers chip produced by the Atmel. It is an 8-bits microcontroller that has 32K of the flash memory, 1K of EEPROM, and 2K of the internal SRAM. The Atmega328 is the one of the microcontroller chips that are used with the popular Arduino Duemilanove boards. The Arduino Duemilanove board comes with a either 1 of 2 microcontroller chips, the Atmega168 and the Atmega328.

Of these 2, the Atmega328 is the upgraded, more advanced chips. Unlike the Atmega168 which is 16K of a flash program memory and 512 bytes of internal SRAM, the Atmega328 has a 32K of the flash program memory and 2K of Internals SRAM. The Atmega328 has 28 pins. It has a 14 digital I/O pins, 6 can be used as PWM outputs and 6 analog inputs pi4.4.

XBeeS2 XBee S2 is a one of the powerful modules to communicate wirelessly. It has a in urban/indoor ranges and 120m outdoor line of sight ranges. It has been found that point-to-points, point-to-multipoints and peer-to-peers topologies are were supported by XBee S2. X-ctu software is a used for configuring XBee S2. In this system XBee S2 is a connected to the USART of the microcontrollers. XBee S2 Dout pin are connected to the Rx pin of ATmega328p. Din pin are connected to the Tx pin of ATmega328p.




Fig. 4.4.1 XBee S2

This is a XBee XB24-Z7WIT-004 modules from Digi. Series 2 improves on the power of output and data protocol. Series 2 modules allows you to create complex mesh networks based on the XBee ZB ZigBee mesh firmwares.

These modules allow a very reliable and the simple communication between microcontrollers, computers the systems, really anything with a serial port, Point to point and multi-point networks is supported.

**V. SYSTEM FLOW CHART**

A workflow of a system is the stepwise representation of the operation of the system. Figure 5.1 shows the workflow of the transmitting part and Figure 5.2 shows a workflow of receiving parts.




Fig. 5.1 Transmitting part work flow




Fig. 5.2: Receiving part work flow

**VI. ADXL335 CALIBRATIONS**

As per reported earlier that ADXL335 sends voltage levels to the ADC of microcontroller. The values from the ADC from the microcontrollers when ADXL was placed at the top position are shown in below.

x = 339 y = 331 z = 407  
 x = 339 y = 331 z = 407  
 x = 340 y = 330 z = 407  
 x = 340 y = 331 z = 407

Of the Peaks Ground Acceleration ADXL335 must be calibrated. It has been found that there are the many ways to the calibrate accelerometer. One of the calibration methods was Least-squares and Gauss-Newton methods



Fig 6.1 Values of  $Z=1g$  position for measuring

In this method, the accelerometer is placed in six perfect axial positions and collect the values .Let us  $m_x$ ,  $m_y$ ,  $m_z$  and  $d_x$ ,  $d_y$ ,  $d_z$  are the values of the accelerometers. When it placed in the six perfect axial position ( $m$  stands for a values when it is placed  $1g$  positions and  $d$  stands for a values when it placed  $-1g$  positions). Again let the,  $a = (a_x, a_y, a_z)$  is a accelerations vector in  $x$ ,  $y$  and  $z$  plan .Therefore the acceleration values can be written as

$$\begin{aligned} a_x &= (p-m_x) / d_x , \\ a_y &= (q-m_y) / d_y , \\ a_z &= (r-m_z) / d_z , \end{aligned}$$

Where  $p$ ,  $q$ ,  $r$  are the three axial value at all the position. If the values are taken at zero noise condition sum of the square of all the above values are equaled to 1.

$$a_p^2 + a_q^2 + a_r^2 = 1$$

But in presence of noise there might be some error. And these errors are nonlinear. It has been found that the nonlinear Least-Square problem can be solved numerically using Gauss-Newton method.

## VIII. CONCLUSION

This system has many advantages such as low cost, low power consumption and small in sizes. As mentioned it can be used in building with many receiving part with single transmitting part

## REFERENCES

- [1] R.J. Geller, D.D. Jackson, and Y.Y. Kagan, and F. Mulargia, "Enhanced Earthquakes cannot be Predicted", Science, Vol 275. pp.1616-1620. 1997.
- [2] Yih-Min Wu; Kanamori, H. "Development of an Earthquake Early Warning System Using Real -Time Strong Motion Signals" Sensors 8, pp1-9, 2008.
- [3] Richard M. Allen, Paolo Gasparini, Osamu Kamigaichi and Maren Bose; " The Status of Earthquake Early Warning around the World: An Introductory Overview", Seismological Research Letters; Volume 80, Number 5, September/October; doi:10.1785/gssr1.80. 5.682
- [4] Sanjib Kalita, J.N. Borole, "Needs of Early Earthquake Warning System in North-Eastern Region of India", International Journal of Engineering Research & Technology (IJERT), pp501- 504, ISSN: 2278-0181, Vol.3 Issue 3, March-2014
- [5] Sanjib Kalita, J.N.Borole, "Application of MEMS Accelerometer To Consumer Electronics" International Conference on Model ing and Simulation in Engineering and Technology, ICMSET-2014, pp188-190, Feb15-16
- [6] Sanjib Kalita, "Uses of MEMS Accelerometer in Seismology", International Journal of Advanced Research in Engineering and Technology (IJARET), ISSN 0976-6480(print), ISSN 0976-6499(online), Vol-4, Issue-6, pp57-61, 2013.
- [7] C.P.Singh ; "MEMS Based Digital Geophones with Onboard Sigma Delta Modulator" 6th Exploration Conference & Exposition on Petroleum Geophysics, Kolkata; pp163-169; 2006.

- [8] Hung-Chi Chang, Tomoyuki Enomotol, Masanobu Shinozuka, Pai Chou, Chulsung Park, Isam Yokoi and Shin Morishita; "Real Time Visualization of Structural Response With Wireless MEMS Sensors"; 13th World Conference on Earthquake Engineering, Canada, Paper no- 121, pp1-10, 2004.
- [9] Takao Aizawa, Toshinori Kimura, Toshifumi Matsuoka, Tetsuya Takeda, Youichi Asano; "Application of MEMS accelerometer to geophysics"; International Journal of the JCRM ;Japanese committee for Rock Mechanics; Volume 4, number 2 , pp 1-4, 2008.
- [10] Adam Pascale, "Using Micro-Electro Mechanical Systems(MEMS) accelerometers for earthquake monitoring"; Environmental Systems & Services; Engineering solutions for monitoring the environment; ACN: 007 536 807; 2009.
- [11] Elizabeth S. Cochran, Jesse F. Lawrence, Carl Christensen, and Ravi S. Jukka; "The Quake-Catcher Network : Citizen Science Expanding Seismic Horizons" Seismological Research Letters; Volume 80; doi:10.1785/gssr1.80.1.26; 2009.
- [12] Elizabeth Cochran, Jesse Lawrence, Carl Christensen and Angela Chung; "A Novel Strong-Motion Seismic Network for Community Participation in Earthquake Monitoring"; IEEE Instrumentation & Measurement Magazine; December; 2009.
- [13] Huayin Zheng, Gengehen Shi, Tao Zeng and Bo Li; "Wireless Earthquake Alarm Design Based on MEMS Accelerometer"; International conference on Consumer Electronics, Communications & Networks (CECNet); ISBN- 978-1-61284-458-9, pp5481-5484, IEEE doi: 10.1109/CECNET.2011.5768502; 2011.
- [14] Tu, R.; Wang, R.; Ge, M.; Walter, T. R.; Ramatschi, M., Milkereit, C.; Bindi, D.; Dahm, T.; "Cost effective monitoring of ground motion related to earthquakes, landslides or volcanic activity by joint use of a single-frequency GPS and a MEMS accelerometer "; Geophysical Research Letters; 40; pp1-5, doi: 10.1002/grl.50653; 2013.

## BIOGRAPHY



**Mr. Nikhil K. Wargantiwar** perusing engineering in SGBAU Amravati University,



**Mr. Abhilas S. Barbade** perusing engineering in SGBAU Amravati University



**Mr. Atul P. Shingade** has completed his Master from SGBAU Amravati. He has more than Six years of experience in teaching and industrial area. He has interest In Digital Image Processing and VLSI Design.



**Prof. A.N. Shire** received M.Tech degree in Electronics from G.H. Raisoni, Nagpur, India in 2010 .He has in all experience of 09 years in teaching & industry. He also served as Head of Department for 03 years in DBNCOE in Electronics & Telecommunication, Yavatmal, Maharashtra. Till date he has published 05 research papers in various International Journals. His area of intrest is signal/image processing. He is also Life Member of ISTE and IETE.